Notice of Allowability	Application No.	Applicant(s)	
	10/519,296	STAUBER, HANS-ULRICH	
	Examiner	Art Unit	
	Stephen F. Gerrity	3721	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to the preliminary amendment filed 22 December 2004. 2. The allowed claim(s) is/are 1-18.			
 3.			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 			
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0. Paper No./Mail Date 12/22/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summ Paper No./Mail 8), 7. ☑ Examiner's Ame	Date	

Application/Control Number: 10/519,296 Page 2

Art Unit: 3721

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

2. The application has been amended as follows:

submitted no later than the payment of the issue fee.

In the title of the invention:

Amend the title of the invention to read as follows:

STRAPPING DEVICE INCLUDING LOOP FORMING CHANNEL AND LOOP GUIDE

In the specification (see substitute specification filed 28 January 2005):

paragraph [0029], line 2, delete "und" and insert --and--.

paragraph [0030], line 1, delete "Fig" and insert --Fig.--.

In the claims:

Claim 8, line 2, delete "the" and insert --an--.

Explanation for Examiner's Amendment

3. The title of the invention has been amended to expand on the structural description of the invention. The specification and claim 8 have been amended to correct editorial errors.

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen F. Gerrity whose telephone number is 571-272-4460. The examiner can normally be reached on Monday - Friday from 5:30 - 2:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rinaldi Rada can be reached on 571-272-4467. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Stephen F. Gerrity
Primary Examiner
Art Unit 3721

18 March 2006